




ROOTT



ORDER LIST

CHAPTER 1

ROOTT **R**



IMPLANTS & SUPERSTRUCTURES



Two-piece implants



Each implant box includes: implant, covering screw, straight abutment CRE and plastic cap for close tray impression.

| Ø 3.0 mm | | Ø 3.8 mm | | Ø 4.8 mm | |
|---|------------------------|---|------------------------|---|------------------------|
|  | R3010 h 10mm |  | R3806 h 6mm |  | R4806 h 6mm |
|  | R3012 h 12mm |  | R3808 h 8mm |  | R4808 h 8mm |
|  | R3014 h 14mm |  | R3810 h 10mm |  | R4810 h 10mm |
|  | R3016 h 16mm |  | R3812 h 12mm |  | R4812 h 12mm |
| | |  | R3814 h 14mm |  | R4814 h 14mm |
| | |  | R3816 h 16mm |  | R4816 h 16mm |
| Ø 3.5 mm | | Ø 4.2 mm | | Ø 5.5 mm | |
|  | R3506 h 6mm |  | R4206 h 6mm |  | R5506 h 6mm |
|  | R3508 h 8mm |  | R4208 h 8mm |  | R5508 h 8mm |
|  | R3510 h 10mm |  | R4210 h 10mm |  | R5510 h 10mm |
|  | R3512 h 12mm |  | R4212 h 12mm |  | R5512 h 12mm |
|  | R3514 h 14mm |  | R4214 h 14mm |  | R5514 h 14mm |
|  | R3516 h 16mm |  | R4216 h 16mm |  | R5516 h 16mm |

One platform for all Rootform sizes

Prosthetic superstructures

Healing abutments

Bone build up



GF0

H 1.2mm, Ø 4.0mm



GFN0

H 1mm, Ø 3.5mm

Regular



GF1

H 3.1mm, Ø 5.4mm



GF2

H 3.8mm, Ø 5.4mm



GF3

H 4.8mm, Ø 5.3mm



GF4

H 5.8mm, Ø 5.3mm



GF5

H 6.8mm, Ø 5.3mm



GF6

H 7.8mm, Ø 5.3mm



GF7

H 8.8mm, Ø 5.3mm

Narrow



GFN2

H 3.8mm, Ø 4.0mm



GFN4

H 5.8mm, Ø 4.0mm



GFN6

H 7.8mm, Ø 4.0mm

Customizable (PEEK)



GFI

H 8.8mm, Ø 8.0mm

Transfers



TR (+TC free)

Close tray transfer



TC

Plastic cap



TOS

Open tray short transfer



TO

Open tray transfer

Scan posts



SPCO

Scan post laboratory



SPCOIO

Scan post intra-oral

Implant analogs



AN

Implant analog



AND

Implant analog digital

H - height from implant platform

One-piece



GFP3

H 5.0mm, 5.0mm



GFP4

H 6.0mm, 5.0mm



GFP5

H 7.0mm, 5.0mm

Abutments

Aesthetics



A1
H 9.3mm, Ø 4.9mm



A2
H 10.3mm, Ø 4.9mm



A3
H 11.3mm, Ø 4.8mm



A4
H 12.3mm, Ø 4.8mm

Narrow



A1N
Narrow straight
H 9.75mm, Ø 4.0mm

Transgingival



AT1
H 8.8mm, Ø 5.6mm



AT2
H 9.4mm, Ø 5.6mm



AT3
H 10.4mm, Ø 5.6mm





AT4
H 11.4mm, Ø 5.6mm



BP

Free burn out part
with each transgingival abutment

Each abutment supplied with two screws:
for clinical use (green) 
for laboratory use (pink) 

Maximum torque 15Ncm.

Aesthetics 15°



A1A15
H 9.4mm, Ø 4.9mm



A2A15
H 10.4mm, Ø 4.9mm



A3A15
H 11.4mm, Ø 4.8mm



A4A15
H 12.4mm, Ø 4.8mm

Aesthetics 25°



A1A25
H 9.4mm, Ø 4.9mm



A2A25
H 10.4mm, Ø 4.9mm



A3A25
H 11.4mm, Ø 4.8mm



A4A25
H 12.4mm, Ø 4.8mm

H - height from implant platform

Ti-Base abutments

Regular



PCO1
H 7.5mm, Ø 4mm



PCO2
H 8.5mm, Ø 4mm



PCO3
H 9.5mm, Ø 4mm



PCOR
Rotational,
H 7.5mm, Ø 4mm

Short



PCO1S
H 5.5mm, Ø 4mm



PCO2S
H 6.5mm, Ø 4mm



PCO3S
H 7.5mm, Ø 4mm



PCORS
H 5.5mm, 4mm

Sirona



PCO
Sirona, H 6.2mm, Ø 4.3mm

Other



BP
Burnout cap



AB
Burnout with
positioning



ABR
Burnout without
positioning



ABM
Burnout with
titanium base
Ø 4mm



PMAB
Pre-mill abutment
Ø 11.5mm

One-piece



A05K
H 6mm, Ø 3.55mm



A1K
H 6.5mm, Ø 3.55mm



A2K
H 7.5mm, Ø 3.55mm



A3K
H 8.5mm, Ø 3.55mm



A4K
H 9.5mm, Ø 3.55mm

Narrow abutments, 15° angled



A1A15k
H 6.9mm, Ø 5.3mm



A2A15k
H 7.9mm, Ø 5.3mm



A3A15k
H 8.9mm, Ø 5.3mm



A4A15k
H 9.9mm, Ø 5.3mm

Locator attachment



B1
H 4.2mm, Ø 4mm



B2
H 5.2mm, Ø 4mm



B3
H 6.2mm, Ø 4mm



B4
H 7.2mm, Ø 4mm



B5
H 8.2mm, Ø 4mm

Every locator is supplied with free matrix housing and retention insert

Abutments **K**

Regular



TCK0
H 6.3mm, neck 0mm,
max Ø 4.3mm



TCK1
H 6.3mm, neck 1mm,
max Ø 4.6mm



TCK2
H 6.3mm, neck 2mm,
max Ø 5.0mm



TCK3
H 6.3mm, neck 3mm,
max Ø 5.0mm

Prosthetic screw



FSK
Total length 6.4mm,
length till screw cap 5.1mm,
Ø 2.4mm

H - height from implant platform

Multi-units & superstructures

Regular multi-unit



Multi-unit 15°




Multi-unit 30°



Multi-unit 45°



Transfers **M** **P**



Scan posts **M** **P**



H - height from implant platform

Implant analog **M P**



ANM
Implant analog



ANMD
Implant analog digital

Abutments **M P**



PCOM
Ti-Base
H 4.5mm, Ø 5.2mm



AM
Abutment
H 9mm, Ø 4.8mm



ABMU
Burn-out abutment
H 9mm, Ø 4.8mm



ABMUA
Burn-out 15° abutment
H 9mm, Ø 4.8mm

Healing abutments **M P**

Regular



GFM0
H 2.6mm, Ø 5.9mm



GFM2
H 5mm, Ø 5.9mm



GFM4
H 7mm, Ø 5.9mm



GFM6
H 9mm, Ø 5.9mm

Prosthetic screw



SFPCOM
Total length 3.8 mm
Ø 2.8 mm

Small multi-units & superstructures



MS1
H 4.5mm, Ø 4mm



MS2
H 5mm, Ø 4mm



MS3
H 6mm, Ø 4mm



MS4
H 7mm, Ø 4mm

Transfers **S**



TRMS+TC (free)
Close tray transfer



TC
Plastic cap



TOMS
Open tray transfer

Scan posts **S**



SPCOMS
Scan post laboratory



SPCOMIOS
Scan post intra-oral

Implant analogs **S**



ANMS
Implant analog



ANMSD
Implant analog digital

Abutments **S**



PCOMS
Ti-Base
H 4.5mm, Ø 4.6mm



AMS
Abutment
H 9mm, Ø 4.2mm



ABMUS
Burn-out abutment
H 9mm, Ø 4.2mm



ABMUSA
Burn-out 15° abutment
H 9mm, Ø 4.2mm

Healing abutments **S**



GFMS0
H 3mm, Ø 5.6mm



GFMS2
H 5mm, Ø 5.6mm



GFMS4
H 7mm, Ø 5.6mm



GFMS6
H 9mm, Ø 5.6mm

Prosthetic screw



SFPCOMS
Total length 4.0 mm
Ø 2.4 mm

H - height from abutment level

CHAPTER 2

ROOTT **C**
ROOTT **CS**

IMPLANTS & SUPERSTRUCTURES



ROOTT C implants

One-piece implant with telescopic connection. No cement, no screws.
Implant box includes plastic carrier that can be used as transfer cap.
Implant neck height – 3mm, can be bended up to 15°.



Ø 3.0 mm



Ø 4.0 mm



Ø 5.0 mm



Ø 3.5 mm



Ø 4.5 mm



Ø 5.5 mm



ROOTT CS implants

One-piece implant with telescopic connection. No cement, no screws.
Implant box includes plastic carrier that can be used as transfer cap.
Implant neck height – 1.5mm, no bending.



Ø 4.0 mm



C4006S

H 6mm



C4008S

H 8mm



C4010S

H 10mm

Ø 4.5 mm



C4506S

H 6mm



C4508S

H 8mm



C4510S

H 10mm

ROOTT **B**

ROOTT **BS**

IMPLANTS



ROOTT B implants

One-piece implant with telescopic connection. No cement, no screws.
Implant box includes plastic carrier that can be used as transfer cap.
Can be bended up to 15°.



Ø 3.5 mm

| | |
|---|-----------------------------|
|  | B3508 h 8mm, n 3 |
|  | B3510 h 10mm, n 3 |
|  | B3512 h 12mm, n 3 |
|  | B3514 h 14mm, n 5 |
|  | B3516 h 16mm, n 7 |
|  | B3518 h 18mm, n 7 |
|  | B3520 h 20mm, n 7 |
|  | B3522 h 22mm, n 7 |
|  | B3524 h 24mm, n 7 |
|  | B3526 h 26mm, n 7 |

Ø 4.5 mm

| | |
|---|-----------------------------|
|  | B4508 h 8mm, n 3 |
|  | B4510 h 10mm, n 3 |
|  | B4512 h 12mm, n 3 |
|  | B4514 h 14mm, n 5 |
|  | B4516 h 16mm, n 7 |
|  | B4518 h 18mm, n 7 |
|  | B4520 h 20mm, n 7 |
|  | B4522 h 22mm, n 7 |
|  | B4524 h 24mm, n 7 |
|  | B4526 h 26mm, n 7 |

Ø 5.5 mm

| | |
|---|-----------------------------|
|  | B5508 h 8mm, n 3 |
|  | B5510 h 10mm, n 3 |
|  | B5512 h 12mm, n 3 |
|  | B5514 h 14mm, n 5 |

Ø 6.5 mm

| | |
|---|-----------------------------|
|  | B6514 h 14mm, n 5 |
|  | B6516 h 16mm, n 7 |

Ø 8.5 mm

| | |
|---|-----------------------------|
|  | B8508 h 8mm, n 3 |
|  | B8516 h 16mm, n 7 |
|  | B8518 h 18mm, n 7 |

Ø 10.5 mm

| | |
|---|-----------------------------|
|  | B1112 h 12mm, n 3 |
|  | B1114 h 14mm, n 5 |

n – neck diameter
h – length of implant with neck

ROOTT BS implants

One-piece implant with telescopic connection. No cement, no screws.
Implant box includes plastic carrier that can be used as transfer cap.
Can be bended up to 15°. Sandblasted, anodized.



Ø 3.5 mm

| | |
|---|-------------------------------|
|  | B3508ss h 8mm, n 3 |
|  | B3510ss h 10mm, n 3 |
|  | B3512ss h 12mm, n 3 |
|  | B3514ss h 14mm, n 5 |
|  | B3516ss h 16mm, n 7 |
|  | B3518ss h 18mm, n 7 |
|  | B3520ss h 20mm, n 7 |
|  | B3522ss h 22mm, n 7 |
|  | B3524ss h 24mm, n 7 |
|  | B3526ss h 26mm, n 7 |

Ø 4.5 mm

| | |
|---|-------------------------------|
|  | B4508ss h 8mm, n 3 |
|  | B4512ss h 12mm, n 3 |
|  | B4514ss h 14mm, n 5 |
|  | B4516ss h 16mm, n 7 |

n – neck diameter
h – length of implant with neck

Prosthetic superstructures

Transfers



TRA
Transfer plastic rotational



TOE
Transfer titanium rotational



TOEA
Transfer titanium anti- rotational



TOES
Short transfer titanium rotational

Implant analogs



ANA
Plastic lab analog



ANE
Titanium lab analog



ANED
Implant analog digital

Burnout abutments (for casting)



BOP
Straight



A0
Straight with step



A15
15° angulated



A25
25° angulated

Healing abutments



GFE
H 8.2mm, Ø 5.1mm



GFES
H 6.2mm, Ø 5.1mm

Telescopic abutments

Titanium



TCE0

H 8.2mm, neck H 0mm
max Ø 4.2mm



TCE1

H 8.2mm, neck H 1mm
max Ø 4.6mm



TCE2

H 8.2mm, neck H 2mm
max Ø 4.9mm



TCE3

H 8.2mm, neck H 3mm
max Ø 4.9mm

Short



TCES0

H 6.2mm, neck H 0mm
max Ø 4.2mm



TCES1

H 6.2mm, neck H 1mm
max Ø 4.6mm



TCES2

H 6.2mm, neck H 2mm
max Ø 4.9mm

PEEK



PCE0

H 8.2mm, neck H 0mm
max Ø 4.2mm



PCE1

H 8.2mm, neck H 1mm
max Ø 4.6mm



PCE2

H 8.2mm, neck H 2mm
max Ø 4.9mm



PCE3

H 8.2mm, neck H 3mm
max Ø 4.9mm

For submerged abutments

Titanium



TCEXS1

H 6.8mm, neck H 1mm
max Ø 4.4mm



TCEXS2

H 6.8mm, neck H 2mm
max Ø 4.7mm

PEEK



PCEXS1

H 6.8mm, neck H 1mm
max Ø 4.4mm



PCEXS2

H 6.8mm, neck H 2mm
max Ø 4.7mm

CHAPTER 3

ROOTT **M**
ROOTT **P**

IMPLANTS & SUPERSTRUCTURES



ROOTT M implants

One-piece implant with regular multi-unit abutment.
Implant box includes green plastic carrier and metal carrier.



Ø 3.0 mm



C3008M
h 8mm

C3010M
h 10mm

C3012M
h 12mm

C3014M
h 14mm

C3016M
h 16mm

C3018M
h 18mm

C3020M
h 20mm

Ø 4.0 mm



C4006M
h 6mm

C4008M
h 8mm

C4010M
h 10mm

C4012M
h 12mm

C4014M
h 14mm

C4016M
h 16mm

Ø 3.5 mm



C3506M
h 6mm

C3508M
h 8mm

C3510M
h 10mm

C3512M
h 12mm

C3514M
h 14mm

C3516M
h 16mm

C3518M
h 18mm

C3520M
h 20mm

Ø 5.0 mm



C5006M
h 6mm

C5008M
h 8mm

C5010M
h 10mm

C5012M
h 12mm

C5014M
h 14mm

ROOTT P implants

One-piece implant designed for implantation in pterygoid area
with regular multi-unit abutment.
The implant box includes green plastic carrier and metal carrier.

Ø 3.5 mm



C3516MP

H 16mm

C3518MP

H 18mm

C3520MP

H 20mm

C3522MP

H 22mm

C3524MP

H 24mm

C3526MP

H 26mm

Ø 4.5 mm



C4516MP

H 16mm

C4518MP

H 18mm

C4520MP

H 20mm

C4522MP

H 22mm

C4524MP

H 24mm

C4526MP

H 26mm



Transfers **M P**



TRM+TC (free)
Close tray transfer



TC
Plastic cap



TOM
Open tray transfer



TOML
Open tray long transfer

Implant analogs **M P**



ANM
Implant analog



ANMD
Implant analog digital

Abutments **M P**



PCOM
Ti-Base
H 4.5mm, Ø 5.2mm



AM
Abutment
H 9mm, Ø 4.8mm



ABMU
Burn-out abutment
H 9mm, Ø 4.8mm



ABMUA
Burn-out 15° abutment
H 9mm, Ø 4.8mm

Healing abutments **M P**

Regular



GFM0
H 2.6mm, Ø 5.9mm



GFM2
H 5mm, Ø 5.9mm



GFM4
H 7mm, Ø 5.9mm



GFM6
H 9mm, Ø 5.9mm

Narrow



GFNM0
H 3.3mm, Ø 5.2mm



GFNM2
H 5.5mm, Ø 5.2mm



GFNM4
H 7.5mm, Ø 5.2mm



GFNM6
H 9.5mm, Ø 5.2mm

Scan posts **M P**



SPCOM
Scan post laboratory



SPCOMIO
Scan post intra-oral

Prosthetic screw



SFPCOM
Total length 3.8 mm
Ø 2.8 mm

H - height from abutment level

CHAPTER 4

ROOTT 

IMPLANTS & SUPERSTRUCTURES



ROOTT S implants

One piece implant with small multi-unit abutment.
The implant box includes green plastic carrier and metal carrier.



Ø 3.0 mm



C3008MS

h 8mm



C3010MS

h 10mm



C3012MS

h 12mm



C3014MS

h 14mm



C3016MS

h 16mm

Ø 3.5 mm



C3506MS

h 6mm



C3508MS

h 8mm



C3510MS

h 10mm



C3512MS

h 12mm



C3514MS

h 14mm



C3516MS

h 16mm

Transfers **S**



TRMS+TC (free)
Close tray transfer

TC
Plastic cap

TOMS
Open tray transfer

Abutments **S**



PCOMS
Ti-Base
H 4.5mm, Ø 4.6mm



AMS
Abutment
H 9mm, Ø 4.2mm



ABMUS
Burn-out abutment
H 9mm, Ø 4.2mm



ABMUSA
Burn-out 15° abutment
H 9mm, Ø 4.2mm

Scan posts **S**



SPCOMS
Scan post laboratory



SPCOMIOS
Scan post intra-oral

Implant analogs **S**



ANMS
Implant analog

ANMSD
Implant analog digital

Prosthetic screw



SFPCOMS
Total length 4.0 mm
Ø 2.4 mm

Healing abutments **S**



GFMS0
H 3mm, Ø 5.6mm



GFMS2
H 5mm, Ø 5.6mm



GFMS4
H 7mm, Ø 5.6mm



GFMS6
H 9mm, Ø 5.6mm

CHAPTER 5

INSTRUMENTS



Drills

Lance drills **U**



Twist drills **U**



Tapered drills **U**



Drills **R**



Drills **C CS M S**



Drills **B BS**



Implant drivers

Implant drivers **R**



IT
For ratchet



ITL
For ratchet



ITH
For handpiece



ITHL
For handpiece



ITAO
For AO handle

Implant drivers

C CS B BS



ITES
For ratchet



ITE
For ratchet



ITEL
For ratchet



ITEXL
For ratchet



ITEH
For handpiece



ITEHL
For handpiece



ITEAO
For AO handle

Implant drivers **S**



ITMS
For ratchet



ITMSL
For ratchet

Implant drivers **M P**



ITMO
For ratchet



ITM10
For ratchet



ITM
For ratchet

Implant drivers **HE M P**



ITHES
For ratchet



ITHE
For ratchet




ITHEL
For ratchet



ITHEAO
For AO handle

Screwdrivers



Universal taps



Other instruments



ETH

For handpiece



ETAO

For AO connection



SR

Abutment extractor, L 30mm



SRL

Abutment extractor, long, L 38mm



P2

Alignment pin



ET

Drill extension



ETEAO

Drill extension for AO handle



TW50

Torque wrench 10-50 Ncm



DW

Handle for implant driver



DIR

Alignment bar



DPG

Implant depth gauge

Universal surgical cassettes



TRS

New surgical cassettes TRS and TRS-mini available unfilled.
Each tool is sold separately to complete the cassette
in accordance with individual needs.



TRS-mini



TRATE AG
Seestrasse 58
8806 Bäch
Switzerland

t +41 44 202 1919
f +41 44 202 1920
info@trate.com
trate.com

TRATE

Medical devices under this catalog are in compliance with established in EU regulatory requirements.

